

**SRI VIJAYA VISAKHA MILK PRODUCERS COMPANY LIMITED**  
**(VISAKHA DAIRY), VISAKHAPATNAM. GST No: 37AAJCS7398P1Z4**  
PHON: 0891-2517230, 2517290,251555, 9963553850: Extension: purchase  
Email: [purchase@visakhadairy.com](mailto:purchase@visakhadairy.com)

**FEED RAW MATERIALS ENQUIRY WEB NOTE**

R.C. No: 33/E3/PUR/2024

Dt: 01-01-2026.

Quotations are invited from GST Registered suppliers for supply of Cattle Raw Material for required raw materials quantity noted below for the use at Feed Mixing Plant-AMADALAVALASA- Dist).

QUANTITY REQUIRED IN MT's FOR FMP- AMADALAVALASA				
S. No	Name of the Raw Material	FMP – Amadalavalasa	Payment Terms	Delivery Terms (Material supply)
1	Di-Calcium Phosphate	60 MTs	After receipt of material good condition as per lab analyses report.	As Per Plant manager Schedule (January & February-2026)
2	Copper Sulphate	0.50 MTs (500Kgs)		
3	Zinc Sulphate (Zn-(Min33))	2.10 MTs		
4	Managanese Sulphate	0.50 MTs (500 Kgs)		
5	Potassium Iodine	0.02 MT (20Kgs)		
6	Flavouring Agent	20 Kgs		
7	Sucram	25 Kgs		

**Note: Quality standard quality specifications page No - 2**

1. Quotations : Your Offers are accepted from date: 03-01-2026 to 07-01 -2026  
Through E-mail: [purchase@visakhadairy.com](mailto:purchase@visakhadairy.com).

2. Quotations will be submitted to Purchase Committee: on 08-01 -2026 at 11.00pm.

The above cattle feed ingredients have to be supplied as per specification as per supply schedule given by Visakha Dairy authorities, i.e. Feed Mixing Plants –Anakapalli.

The Managing Director reserves the right to accept or reject one or all feed raw materials or to post pone the quotations without assigning any reason.

**Place of Delivery Address:** Sri Vijaya vishakha Milk Producers Company ltd (Visakha Dairy) Feed Mixing Plant  
Address details are given below.

**FMP-Amadalavalasa (FMP-ALS)**

Sri Vijayavisakha Milk Producers company Ltd (Visakha Dairy)  
Cattle Feed Mixing Plant, Opp: Telephone Exchange,  
Industrial Estate, Amadalavalasa, Srikakulam-532185

Sd/- B.V.K.Rao  
**Sr. Manager (Purchase)**

Cont.... 1



**Cumulative Penalty deductions for Sub-standard quality for each point in the rates**

S.No	Name of the Ingredient and Specification	Gurantee %	1st Stage		2nd Stage		3rd Stage		Rejectable
			Rebate (%)	Up to	Rebate (%)	Up to	Rebate (%)	Up to	
13	<b>Di Calcium Phosphate (DCP)</b>								
	Moisture(%) (Maximum)	5.00	0.1	6.00	0.2	7.00			Above 7
	Calcium (%) (Minimum)	23.00	0.3	22.00	0.6	21.00			Below 21
	Phosphorus (%) (Minimum)	18.00	0.2	17.50	0.4	17.00			Below 17
	Silica/AIA (%) (Maximum)	1.00	0.1	1.50	0.2	2.00			Above 2
	Fluorine (%) (Maximum)	0.10	0.5	0.12	1.0	0.14			Above 0.14
	Lead (mg/kg) (Maximum)	30	0.2	35	0.4	40			Above 40
	Arsenic (mg/kg) (Maximum)	10	0.2	12	0.4	15			Above 15
14	<b>Mineral Salts</b>								
A	Copper Sulphate (CuSO <sub>2</sub> )	24.00	0.5	23.00	1	22.00			Below 22
B	Potassium Iodine (KI) (Min)	75.00	0.5	74.00	1	73.00			Below 73
C	Cobalt Sulphate (CoSO <sub>4</sub> )	20.00	0.5	19.00	1	18.00			Below 18
D	Manganese Sulphate (MnSO <sub>4</sub> )	31.00	0.5	29.00	1	27.00			Below 27
E	Ferrous Sulphate (FeSO <sub>4</sub> )	30.00	0.5	28.00	1	26.00			Below 26
F	Magnesium Oxide (MgO)	52.00	0.5	50.00	1	48.00			Below 48
G	Zinc Sulphate (ZnSo <sub>4</sub> ) Zn	33.00	0.5	30.00	1	28.00			Below 28
H	Chromium Chelate	8.00	0.5	7.00	1	6.00	2	5.00	Below 5
I	Zinc Glycinate	15.00	0.5	14.00	1	12.00	2	10.00	Below 10
J	Copper Glycinate	15.00	0.5	14.00	1	12.00	2	10.00	Below 10
K	Manganese Glycinate	15.00	0.5	14.00	1	12.00	2	10.00	Below 10

**Declaration**

The above Penalty Structure is hereby acceptable for the supplies

**Signature of the Supplier /Tenderer**