

Sri Vijaya Visakha Milk Producers Company Limited

Akkireddy Palem, BHPV(Post), Vishakhapatnam-530012, Andhra Pradesh

GSTIN 37AAJCS7398P1Z4

TIN/CST NO: 37132885261

Phone : 0891-2517230

Excise Regn.No: AAJCS7398PEM001

Fax : 0891-2757708

CIN : U15209AP2006PTC048708

Email : purchase@visakhadairy.com

Vendor Code: V02116

PURCHASE ENQUIRY

S

ENQUIRY No : PEQE8-25-158 Date : 29-09-2025

Indent No: S3-25-96 Indent Dt: 04-09-2025

Unit-Name RANGAMPETA

Department : E & M

Center-Name: E&M - Projects

Bid Date 04-10-2025

Ph.

Email ID :

Please supply the Equipment/Material Specified below. All terms and conditions incorporated here in on the reverse / attached to this purpose order including general terms and conditions of purchase.

ITEM ANNEXURE ATTACHED

Delivery Schedule : Immediatley

Place of Delivery : VD-Rangampeta Unit

Special Note : send quotation as per enquiry

Narration :

Delivery Terms :

Note : Please send your offer with GST Details

For VISAKHA DAIRY

S. V. 29.09.25
Sr. Manager (Purchase)

Sri Vijaya Visakha Milk Producers Company Limited

Akkireddy Palem, BHPV(Post), Vishakhapatnam-530012, Andhra Pradesh

GSTIN 37AAJCS7398P1Z4

TIN/CST NO: 37132885261

Phone : 0891-2517230

Excise Regn.No: AAJCS7398PEM001

Fax : 0891-2757708

CIN : U15209AP2006PTC048708

Email : purchase@visakhadairy.com

PURCHASE ENQUIRY


P. No : PEQE8-25-158

Date : 29-09-2025

ITEM ANNEXURE FOR ABOVE PURCHASE Enquiry

S.No	Code	Description	Toler%	Units	Indent No:	Quantity
1	CPMEPM1720	SS Insulated Curd Inoculation Tank (Vertical) Capacity :3KL Remarks:With suitable Bonfiglioli Gear box Specifications:Inlet and Outlet Bottom Feeding, Agitator with Motor and CIP Provision		Nos	S3-25-96 04-09-2025	2.00

ITEM ANNEXURE ATTACHED


 29.09.25
 Sr. Manager (Purchase)

For VISAKHA DAIRY

Sr. Manager (Purchase)

Please find the Following specifications for **SS 3KL Inoculation Tank**

MOC: Food Grade **SS 304**

Inner and Outer Shell Thickness: **2mm**

Top and Bottom Dish Thickness: **2.5mm**

Insulation material: **Polyurethane Foam (PUF)**

Density: **40 Kg/m³** i.e to maintain the milk temperature at 42 degrees.

Permanent Level marking inside.

Thermo well with RTD.